



## 8.19 Code Review

## 使用的 git 命令

- `$ git diff 3f36a8e50f4bab07f1f60fe05dc7dbf7ec994f57  
8e143cfdc1fe215e859588ab7e8bd0f9b3303958 >  
20_17.patch`

# gitignore 中的注释，是 #，不是 /\*\*/

<http://stackoverflow.com/questions/8865848/comments-in-gitignore>

- 43 tiapp.xml
- 44 /\*Gruntfile.coffee\*/
- 45 /\*package.json\*/
- 46 /\*app/alloy.js\*/
- 47 /\*app/alloy.jmk\*/



733 - `$.section.setItems push_list_data(data)`

734 + `$.section.setItems push_list_data data`

-

# 使用 case 语句代替 if

```
if e.bindId == 'discover_merchandises_image_1' || e.bindId ==  
'discover_merchandises_view_1' || e.bindId == 'discover_merchandises_price_1'  
|| e.bindId == 'discover_merchandises_name_1'
```

- ```
switch(expression) {  
    case n:  
        code block  
        break;  
    case n:  
        code block  
        break;  
    default:  
        default code block  
}
```

# 将来有一套快速开发框架

不需要我们为每一个 `http get exception` 写上：

`toast '获取数据失败，请检查当前的网络设置！'`

`$.mall_brands_off_page`

这个重命名很棒！

`json_2 = (url) ->`

`get_merchandises_detail_date_from_remote_2 = (url) ->`

# 要使用好 else if

```
if OS_IOS
```

```
    listview.setSection(section)
```

```
if OS_ANDROID
```

```
    listview.setSections(section)
```

```
if OS_IOS
```

```
    listview.setSection(section)
```

```
else if OS_ANDROID
```

```
    listview.setSections(section)
```



# 把握好变量与常量（大小写）

小写字母是变量

- `if open_condition_select_view`

- 

- 大写字母的是常量

`if IS_CONDITION_SELECT_VIEW_OPEN`

这样的话就不对了。

```
IS_COLOR_VIEW_OPEN = true  
# 各种代码 ...
```

```
IS_COLOR_VIEW_OPEN = false  
# ....
```

```
# 这样看来，IS_COLOR_VIEW_OPEN 就是个变量，  
# 而不是常量。最初命名时应该叫 is_color_view_open
```

# Gem 机制

- 先从当前项目路径来找
- 然后再从 `gem env` 中的路径来找

# 可以看到 gem env 中的代码

- `./rbenv/versions/1.9.3-p551/lib/ruby/gems/1.9.1/gems/devise-3.4.0/app$ find .`
- `.`
- `./controllers`
- `./controllers/devise`
- `./controllers/devise/sessions_controller.rb`
- `./controllers/devise/confirmations_controller.rb`
- `./controllers/devise/passwords_controller.rb`
- `./controllers/devise/unlocks_controller.rb`
- `./controllers/devise/omniauth_callbacks_controller.rb`
- `./controllers/devise/registrations_controller.rb`
-